

Assessment of:	Rocket Launch		
Location:	Mount Cook	Date of assessment:	March 2019
Completed by:	Bernard Mueller	Expiry Date:	January 2020

Hazard (something with the potential to cause harm)	Risk (how could the hazard cause harm, and who could it harm)	Control Measures (what is required to reduce the risk)	In Place (Y/N)	Action Required	Action Owner	Residual Risk (assuming all controls in place; Low, Med, High)
Manual handling (activity set-up)	To Staff, volunteers: Risk of muscle injuries to staff, strains and bruising.	<ul style="list-style-type: none"> Only carried out by staff trained in manual handling. Ask for assistance if required. 	Y Y	Manual Handling training	Centre Mgr.	LOW
Mis-use of the equipment	To staff, Volunteers, participants: Risk of Minor injury/ bruises/ eye injuries, strangulation and death	<ul style="list-style-type: none"> Safety instructions given from staff at start. Equipment only given once safety talk briefed out. Constant vigilance by trained leaders. 	Y Y Y	Staff training to be logged on Cinolla	Activity Mgr.	LOW
Bent over to pump air in to rocket.	To Staff, Volunteers: Risk of Muscle & impact damage to user and risk to other participants	<ul style="list-style-type: none"> Equipment checked by trained leaders prior to use. Safety brief given to all people before undertaking the activity Only to be undertaken if no pre-existing medical back conditions. 	Y Y Y	Staff to not over - exert themselves whilst pumping air	Activity Mgr.	LOW

Low = Slight injury or minor ill health / It is highly unlikely that the harm would occur

Medium = Serious Injuries or significant health effects / There is a likelihood that harm may occur;

High = Major death, major injury (RIDDOR) or irreversible health damage / There is a high likelihood that harm will occur.

Hazard (something with the potential to cause harm)	Risk (how could the hazard cause harm, and who could it harm)	Control Measures (what is required to reduce the risk)	In Place (Y/N)	Action Required	Action Owner	Residual Risk (assuming all controls in place; Low, Med, High)
Inadequate supervision of scissors, etc.	To Participants and staff: Risk of cuts, stabbing eye injuries- leading to blood loss, shock and death.	<ul style="list-style-type: none"> Ratio of leaders to participants controlled to effectively manage the group. Safety brief given to all participants taking part in the activity. Ask teachers/ adults to help supervise the group. Only safety scissors provided with no sharp pointed end 	Y Y Y Y	Instructors to monitor group Group sizes and leader ratio's to be relayed to group in advance.	Activity Mgr. Booking Coordinators	LOW
Trips/Falls whilst participating	To All: Risk of Minor Injuries/ bruises, cuts.	<ul style="list-style-type: none"> Safety talk at the start to outline potential trip hazards Adequate supervision of the groups Clear area of trip hazards at start of session 	Y Y Y	Staff training to be logged on Cinolla	Activity Mgr.	LOW
Bottle exploding	To Participants, staff and Volunteers: Risk of Flying debris- Minor Cuts, eye injuries leading to blindness	<ul style="list-style-type: none"> Check bottle for cracks and other damage before use. Only use 2L "fizzy drink" bottles (coke, Fanta, etc) not bottles for still drinks which are not (always) suitable for pressurising. Ensure participants at least 10m away from launch site Ensure staff, volunteer is turned side on to bottle to reduce chance of facial injuries. Instructor to be at least 2m from rocket – using full length of air tube. 	Y Y Y Y Y	Staff training to be logged on Cinolla	Activity Mgr.	LOW
People being hit with bottle rocket	To All: Risk of impact injuries, eye injuries and bruising.	<ul style="list-style-type: none"> Keep participants at least 10m away from rocket launch site Ensure the rocket is pointed vertical during launch Ensure that the person pumping the water rocket is at least 2m away 	Y Y Y Y	Staff training to be logged on Cinolla	Activity Mgr.	LOW

Low = Slight injury or minor ill health / It is highly unlikely that the harm would occur

Medium = Serious Injuries or significant health effects / There is a likelihood that harm may occur;

High = Major death, major injury (RIDDOR) or irreversible health damage / There is a high likelihood that harm will occur.

Hazard (something with the potential to cause harm)	Risk (how could the hazard cause harm, and who could it harm)	Control Measures (what is required to reduce the risk)	In Place (Y/N)	Action Required	Action Owner	Residual Risk (assuming all controls in place; Low, Med, High)
		<ul style="list-style-type: none"> • Locate the experiment sensibly - bear in mind roads, other groups, etc • Check wind direction prior to launch 	Y			
Food poisoning from raw egg	To All: risk of ingestion of raw egg, poisoning	<ul style="list-style-type: none"> • Safety brief to ensure participants handle egg safely • Do not let participants to touch any broken eggs • Instruct to wash hands after the session 	Y Y Y	Staff training to be logged on Cinolla	Activity Mgr.	LOW

Risk Assessment checked by H&S or Line Manager

Name: Steve Turner CEO

Date: May 2019

Low = Slight injury or minor ill health / It is highly unlikely that the harm would occur

Medium = Serious Injuries or significant health effects / There is a likelihood that harm may occur;

High = Major death, major injury (RIDDOR) or irreversible health damage / There is a high likelihood that harm will occur.